

Scientific Life

Neuromatch
Academy: Teaching
Computational
Neuroscience with
Global Accessibility

Neuromatch Academy (NMA)

Tara van Viegen,^{1,38,*}Athena Akrami,^{2,38}Kathryn Bonnen,^{3,38}Eric DeWitt,^{4,38}Alexandre Hyafil,^{5,38}Helena Ledmyr,^{6,38}Grace W. Lindsay,^{7,38}Patrick Mineault,^{8,38}John D. Murray,^{9,38}Xaq Pitkow,^{10,11,12,38}Aina Puce,^{13,38}Madineh Sedigh-Sarvestani,^{14,38}Carsen Stringer,^{15,38}Titipat Achakulvisut,^{16,17}Elnaz Alikarami,¹⁸Melvin Selim Atay,¹⁹Eleanor Batty,²⁰Jeffrey C. Erlich,²¹Byron V. Galbraith,²²Yueqi Guo,²³Ashley L. Juavinett,²⁴Matthew R. Krause,²⁵Songting Li,²⁶Marius Pachitariu,¹⁵Elizabeth Straley,¹⁰Davide Valeriani,^{27,28,29}Emma Vaughan,³⁰Maryam Vaziri-Pashkam,³¹Michael L. Waskom,³Gunnar Blohm,^{32,38,39}Konrad Kording,^{16,17,38,39}Paul Schrater,^{33,34,38,39}Brad Wyble,^{35,38,39}Sean Escola,^{36,38,39}Megan A.K. Peters^{37,38,39}

Neuromatch Academy (NMA) designed and ran a fully online 3-week Computational Neuroscience Summer School for 1757 students with 191 teaching assistants (TAs) working in virtual inverted (or flipped) classrooms and on small group projects. Fourteen languages, active community management, and low cost allowed for an unprecedented level of inclusivity and universal accessibility.

NMA

Traditionally, summer schools have been instrumental in teaching computational skills, with training in useful methods and unique networking opportunities. Summer school attendance, to most participants, is a career-defining event. However, most scientists never get this opportunity for financial, geographic, or other reasons.

We created NMA with the goal of making computational neuroscience (and neural data science) summer schools inclusive and globally accessible. Like its legacy predecessors, NMA consisted of lectures, tutorials, question-and-answer sessions, and networking opportunities. The course was conducted online, in parallel over three major time zones. We ran prerecorded lectures with code-based tutorials in 185 groups (pods), with each group led by a TA. Supervised by 277 volunteer academic mentors, students also worked on group projects to obtain hands-on experience with real data or theoretical projects.

NMA also recreated the career mentorship of traditional summer schools by providing professional development (PD) sessions offering practical scientific applications

(e.g., scientific writing, open science practices) and career panels featuring scientists from industry and academia. We achieved increased inclusivity worldwide and across economic and language barriers through: (i) NMA's large size, which allowed us to group students with the same mother tongue; and (ii) generous funding from our academic and industry partners, which allowed us to offer the course at a low, fully waivable fee to all students.

To help others develop similar programs, we discuss various facets of NMA, including our curriculum, managing a large force of volunteer organizers, efforts to make NMA open and accessible, and lessons we learned.

Curriculum

NMA's 3-week curriculum introduced traditional and emerging tools in computational neuroscience, examining their complementarity and what they can tell us about the brain. We taught approaches to modeling, how to select and use algorithms and methods, and how to interpret the results [1,2]. The curriculum covered basic to advanced data analysis, as well as modeling and statistical approaches for biologically realistic behavioral models (Figure 1A).

To ensure coherence, each day had a leader who outlined that day's coverage, prerequisites, and target learning outcomes. To ensure a consistent rhythm, we delivered content in a fixed daily structure that shifted slightly within each major time zone to accommodate various live events (Figure 1B; within time zone shifts not shown). After a prerecorded 'intro' lecture to frame the day's main questions, students explored techniques through hands-on tutorials followed by a prerecorded 'outro' lecture showing how the ideas could be extended or applied. We enforced consistency across lectures by providing slide




Figure 1. Curriculum, Day-Schedule, and Student Evaluation. The 3-week curriculum of Neuromatch Academy (NMA) introduced traditional and emerging computational neuroscience tools (A; orange). On the weekends there were several live sessions that focused on professional development (A; blue). Each day consisted of the same schedule as indicated by the broken line. (B) An example day schedule. The ordering of the daily schedule shifted slightly (e.g., shift of social activities or project time) within a time zone to accommodate the live question and answer session in that time zone. (C) Student ratings in end-of-school survey. Extremely useful (leftmost) to not useful is shown from red to blue, with nonapplicable (N/A) in gray (rightmost). Pod peers, teaching assistants (TAs), and tutorial materials scored high on students' perceived usefulness. Abbreviations: FRL, Facebook Reality Labs; GLM, generalized linear model.

question provided was: which patterns of facial movements are captured in brain activity from the primary visual cortex? At the end of NMA, groups gave short talks about their accomplishments; some presented at subsequent Neuromatch Conference 3.0^x [3].

Tutorial Format

Our inverted classroom [4,5] and peer-programming philosophy [6] produced a curriculum consisting of short hands-on code-based tutorials interspersed with explanatory videos. We used Google Colaboratory^j, a free, browser-based online Python programming environment, which allows code editing and sharing in a standard web browser. In our tutorials, students never had to produce more than a few lines of code, which gave them time to engage with other interactive elements – including widgets with sliders or buttons to change embedded figures in real time – allowing exploration of the techniques to build stronger intuitions of models' behavior.

Tutorial quality was improved by: (i) an experienced group of code editors, who standardized code across tutorials; (ii) a practice day, where one day's materials were tested across the different time zones; and (iii) a dress rehearsal, where TAs vetted all course materials by going through the entire curriculum and providing feedback about the timetable, tutorials, and recordings. These trial runs were fundamental to the NMA curriculum, and future iterations of NMA will be more polished given feedback from the inaugural event.

Community Building

We worked actively to build community and camaraderie among students. Students were matched into 185 small pods (modal $n = 9$), each led by a TA based on time-zone preferences, preferred language, experience, and interests (interests were measured through dataset preferences for group project work). The pod structure created intimate groups to facilitate student-centered learning using peer

templates, recommended software for recording, and preferred math notations. Each day culminated in a live question-and-answer session with leading experts on the day's topics. Lecturers were selected based on their pedagogical skills and scientific knowledge, with careful consideration of racial and gender diversity [1]. A dedicated team of faculty and volunteers was essential to ensure all deliverables

(slides, recordings, tutorial code, etc.) were finished on time.

Students also participated in projects, in groups of three to five students, to practice applying their new skills. NMA curated several datasets to choose from, and faculty mentors and TAs provided groups with structured brainstorming, clear expectations, and guidance. An example project

programming [6]. Other extracurricular activities featured PD (Figure 1A in blue), virtual social hours, yoga classes, and karaoke sessions. We also ran algorithmic introductions of students interested in similar topics (neuromatching [3]) to facilitate networking. The pod matching was successful in creating tight bonds among students and TAs (Figure 1B), but the virtual social events were less well attended by students and rarely attended by NMA faculty or volunteer organizers; future iterations of NMA will focus on how to best create successful, integrated social experiences outside the virtual classroom.

About 150 researchers (excluding TAs and project mentors) spanning the ranks of academia from different countries came together as NMA volunteers. Organizers and volunteers communicated using Slackⁱⁱ, which has become a mainstream communication tool in science [7]. We used Airtableⁱⁱⁱ to develop a volunteer database of skills and availability, which made task assignment much easier.

Assessing NMA's Success

Beyond creating a worldwide summer school in 3 months, we surpassed several standard metrics. Relative to massive open online courses, NMA had higher retention (86.7% versus 5–10%) [8–10],

measured as the percentage of students who attended >50% of classes. Ninety-four percent of students who responded to the end-of-school survey said they would recommend the experience to a fellow student; they attributed the school's success to a wide range of factors (Figure 1C), but often commented they felt like they belonged. Every day, as well as at the end of the school, we polled students and TAs to understand the effectiveness of our teaching, learning, and community, with very high rates of survey completion (>90% participation for the final survey). We are thus in a great position to make future programs like NMA better (Box 1).

Building a Diverse and Inclusive School

NMA prioritized diversity and inclusion in many ways. This included: (i) offering language pods so TAs and students could communicate in their mother tongues (i.e., despite NMA's language of instruction being English, we had language pods in Arabic, Farsi, French, German, Greek, Hebrew, Hindi, Italian, Mandarin, Portuguese, Russian, Spanish, and Turkish); (ii) adjusting the \$100 registration fee to reflect national median-wage differences; (iii) offering fee waivers; (iv) offering curated closed captions under prerecorded materials in English, Spanish, and Mandarin; and (v) encouraging people to share their pronouns whenever

possible. Through the Neurostars forum^{iv} from the International Neuroinformatics Coordinating Facility^v (INCF) we created virtual classrooms to communicate with students and support them. These virtual spaces also created online communities for students, TAs, and mentors. We evaluated and maintained the learning atmosphere through Zoom visits to pods by NMA faculty, by monitoring students' daily reflections about interactions with peers and TAs, and by having a code of conduct^{vi} in place with a rapid-response team to address anonymous reports of violations. We made specific efforts to include students from countries across geopolitical borders, including successfully applying for a last-minute license from the US Office of Foreign Assets Control allowing us to include Iranian resident students and TAs [11]. US sanctions (and those of many other countries) typically prohibit inclusion of Iranian residents (and those from other sanctioned countries) in schools like ours, so we encourage organizers of similar programs to apply for exemptions as early as possible.

All materials were published under a CC-BY license on YouTube^{vii} and GitHub^{viii}. We used various methods to realize our ideal of open and global access to NMA content, such as mirroring content to Bilibili for accessibility in China since YouTube is blocked. Our materials are also available as courses through the INCF TrainingSpace^{vi}. As materials were all openly available online, students could also participate as so-called Observers (~5000 registered) to work through NMA at their own pace. We believe that through these innovations NMA has paved the way for collaborative, coordinated development of teaching materials for inverted-classroom formats, thereby dramatically decreasing duplicated effort and allowing university faculty to focus more on impactful one-on-one mentorship.

Concluding Remarks

To many of us, NMA was an eye-opening experience that highlighted the importance

Box 1. Lessons for Others and the Future

Do you want to run an NMA-like program? Here are some lessons we learned and will implement in the future:

- (i) Tackle economic barriers. NMA prioritized accessibility through low, waivable registration fees, but some potential students were still excluded due to employment or childcare. Work to circumvent these barriers.
- (ii) Plan for comprehensive feedback. NMA iteratively improved our curriculum through feedback, but our cycle was rushed and missed some key details. Prioritize proper evaluation.
- (iii) Do not underestimate personnel and time requirements. NMA grew quickly, necessitating swift onboarding of many volunteers. Organize your workforce early and recognize that recording and editing content will take more manpower and time than you anticipate.
- (iv) Be aware of geopolitical constraints. Beyond political sanctions, streaming or other services are also blocked in some countries. Investigate which services work where.
- (v) Prioritize administrative and organizational support. NMA implemented task management in Slack, Google Drive and Quire^x. This was inefficient and taxing. Use a proper task management system, and do not assume that financial or administrative clean-up can be completed later.
- (vi) Assign credit appropriately. Volunteers are the lifeblood of NMA. Ensure your workforce receives due credit through manuscript authorship, public-facing personnel lists, and social media. You cannot do this without them.

of dedicated faculty and volunteers. Our cooperative efforts produced a better learning experience than we ever imagined. We believe this combination of strong community building, inverted-classroom teaching, and a discipline-based coding curriculum promises major improvements for the future of higher education.

Acknowledgments

We at NMA are grateful to all of the many volunteers who helped make the inaugural NMA in July 2020 a success. A list of NMA personnel and their roles and contributions can be found at <https://www.neuromatchacademy.org/contributors>. We are grateful to our evaluation team: Ying-Syuan (Elaine) Huang and Pascal Kropf who kindly provided us with Figure 1B. We are also grateful to our financial sponsors and global partners: Facebook Reality Labs, the Kavli Foundation, the Simons Foundation, the Canadian Institute for Advanced Research, Google DeepMind, the Templeton World Charity Foundation, IEEE Brain, the Wellcome Foundation, the Gatsby Foundation, the Tianqiao and Chrissy Chen Institute, Bernstein Computational Neuroscience Network, the University of Pennsylvania, University of Pennsylvania MindCore, the University of Minnesota, the Columbia University Center for Theoretical Neuroscience, Pennsylvania State University, University of California Irvine, Queen's University, the Howard Hughes Medical Institute Janelia Research Campus, the International Neuroinformatics Coordinating Facility, the Sainsbury Wellcome Center, Rice University, the University of Washington Center for Neuroengineering, Weill Neurohub, Baylor College of Medicine, and the countless small donations of time, money, effort, and love from our friends and colleagues around the world.

Resources

ⁱ<https://colab.research.google.com/>

ⁱⁱ<https://slack.com/>

ⁱⁱⁱ<https://airtable.com/>

^{iv}<https://neurostars.org/>

^v<https://training.incf.org/>

^{vi}www.neuromatchacademy.org/code-of-conduct

^{vii}www.youtube.com/channel/UC4LoD4yNBuLKQwDOV6t-KPw

^{viii}<https://github.com/NeuromatchAcademy>

^{ix}<https://quiere.io/>

^x<https://neuromatch.io/>

¹Princeton Neuroscience Institute, Princeton University, Princeton, NJ, USA

²Sainsbury Wellcome Centre, University College London, London, UK

³Center for Neural Science, New York University, New York City, NY, USA

⁴Champalimaud Research, Champalimaud Foundation, Lisbon, Portugal

⁵Centre de Recerca Matemàtica, Bellaterra, Universitat Autònoma de Barcelona, Barcelona, Spain

⁶International Neuroinformatics Coordinating Facility, Karolinska Institutet, Stockholm, Sweden

⁷Gatsby Computational Neuroscience Unit, Sainsbury Wellcome Centre, University College London, London, UK

⁸Montreal, QC, Canada

⁹Department of Psychiatry, Yale University, New Haven, CT, USA

¹⁰Department of Neuroscience, Baylor College of Medicine, Houston, TX, USA

¹¹Center for Neuroscience and Artificial Intelligence, Baylor College of Medicine, Houston, TX, USA

¹²Department of Electrical and Computer Engineering, Rice University, Houston, TX, USA

¹³Psychological and Brain Sciences, Indiana University, Bloomington, IN, USA

¹⁴Max Planck Florida Institute for Neuroscience, Jupiter, FL, USA

¹⁵Howard Hughes Medical Institute (HHMI) Janelia Research Campus, Ashburn, VA, USA

¹⁶Department of Bioengineering, University of Pennsylvania, Philadelphia, PA, USA

¹⁷Department of Neuroscience, University of Pennsylvania, Philadelphia, PA, USA

¹⁸Faculty of Dentistry, McGill University, Montreal, QB, Canada

¹⁹Middle East Technical University, Ankara, Turkey

²⁰Department of Neurobiology, Harvard University, Cambridge, MA, USA

²¹New York University Shanghai, Shanghai, China

²²Talla, Inc., Boston, MA, USA

²³Department of Biomedical Engineering, Johns Hopkins University, Baltimore, MD, USA

²⁴Division of Biological Sciences, University of California San Diego, La Jolla, CA, USA

²⁵Montreal Neurological Institute, McGill University, Montreal, QB, Canada

²⁶School of Mathematical Sciences, MOE-LSC and Institute of Natural Sciences, Shanghai Jiao Tong University, Shanghai, China

²⁷Department of Otolaryngology - Head and Neck Surgery, Massachusetts Eye and Ear, Boston, MA, USA

²⁸Department of Otolaryngology - Head and Neck Surgery, Harvard Medical School, Boston, MA, USA

²⁹Department of Neurology, Massachusetts General Hospital, Boston, MA, USA

³⁰The International Brain Research Organization (IBRO) - Simons Computational Neuroscience Imbizo, Cape Town, South Africa

³¹Laboratory of Brain and Cognition, National Institute of Mental Health, Bethesda, MD, USA

³²Centre for Neuroscience Studies, Queen's University, Kingston, Ontario, Canada

³³Department of Psychology, University of Minnesota, Minneapolis, MN, USA

³⁴Department of Computer Science and Engineering, University of Minnesota, Minneapolis, MN, USA

³⁵Psychology Department, Pennsylvania State University, Philadelphia, PA, USA

³⁶Columbia University, Department of Psychiatry, Center for Theoretical Neuroscience, New York, NY, USA

³⁷Department of Cognitive Sciences, University of California Irvine, Irvine, CA, USA

³⁸This author is a member of the Neuromatch Academy 2020 Executive Committee and contributed equally.

³⁹This author is a member of the Neuromatch Academy 2020 Board of Directors and contributed equally.

*Correspondence:

nma@neuromatch.io (T. van Veen).

<https://doi.org/10.1016/j.tics.2021.03.018>

© 2021 Published by Elsevier Ltd.

References

- Blohm, G. *et al.* (2020) A how-to-model guide for neuroscience. *eNeuro* Published online February 14, 2020. <https://doi.org/10.1523/ENEURO.0352-19.2019>
- Blohm, G. *et al.* (2019) Ten simple rules for organizing and running a successful intensive two-week course. *Neural Comp.* 31, 1–7
- Achakulvisut, T. *et al.* (2020) Neuromatch: algorithms to match scientists. *eLife* Published online May 18, 2020. <https://elifesciences.org/labs/5ed408f4/neuromatch-algorithms-to-match-scientists>
- Lage, M.J. *et al.* (2020) Inverting the classroom: a gateway to creating an inclusive learning environment. *J. Econ. Educ.* 31, 30–43
- Baker, J.W. (2000) The “classroom flip”: using web course management tools to become a guide by the side. In *Selected Papers from the 11th International Conference on College Teaching and Learning* (Chambers, J.A., ed.), pp. 9–17, Florida Community College at Jacksonville
- Williams, L. and Upchurch, R.L. (2001) In support of student pair-programming. *SIGCSE Bull.* 33, 327–331
- Bottanelli, F. *et al.* (2020) Science during lockdown - from virtual seminars to sustainable online communities. *J. Cell Sci.* 133, jcs249607
- Gütl, C. *et al.* (2014) Attrition in MOOC: lessons learned from drop-out students. In *Learning Technology for Education in Cloud. MOOC and Big Data* (Uden, L. *et al.*, eds), pp. 37–48, Springer
- Yang, D. *et al.* (2013) “Turn on, tune in, drop out”: Anticipating student dropouts in Massive Open Online Courses. In *NIPS Data-Driven Education Workshop*
- Reich, J. and Ruipérez-Valiente, J.A. (2019) The MOOC pivot. *Science* 363, 130–131
- Ro, C. (2020) How researchers overturned US sanctions on a virtual summer school. *Nature* Published online August 7, 2020. <https://doi.org/10.1038/d41586-020-02347-9>